

Technical details

Special features

LED backlight panel, Keep aspect ratio option

Stand details

Stand removable

Picture height over desk (min) 105 mm

Tilt angle -3.5° / +21.5°

Picture performance

Panel and backlit TN/LED

Screen Surface Treatment Anti-glare, 3H hard coating

Contrast - typical 1,000:1

Contrast - advanced 20,000,000:1

Response time typical 5 ms

Viewing angle (h/v) - typical 176°/170°

Color performance 16.7 million colors (Hi-FRC)

Brightness - typical 250 cd/m²

Size and resolution

Aspect ratio 16:9

Diagonal Size 49.5 cm (19.5-inch)

Resolution (native) 1,600 x 900 pixel (recommended)

Resolution (interpolated) 1,360 x 768 pixel, 1,280 x 1,024 pixel, 1,280 x 768 pixel, 1,024 x 768 pixel, 800 x 600 pixel, 720 x 400 pixel, 640 x 480 pixel

Resolution note 1280 x 1024 @ 75Hz (VESA timing)

Picture size 433.9 x 236.3 mm

Pixel Pitch 0.2712 mm

Frequencies

Horizontal 30 kHz to 83 kHz

Vertical 55 - 76 Hz

Frequencies - bandwidth 180 MHz

Connectivity

DVI 1 x DVI-D (HDCP)

VGA/D-SUB 1 x D-SUB

Audio signal output 3.5 mm stereo phone jack

Audio signal input 3.5 mm stereo phone jack

Audio sound output 2 x 2.0 W

OSD Languages and setting options

Languages Arabic, Chinese simply, Chinese traditional, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish

Brightness / Contrast Brightness, Contrast

Color 6500K, 7500K, 9300K, Custom Color

Image adjust H-Position, V-Position, Clock, Phase

Audio Mute, Volume

Information Model name, Serial number, Resolution/mode, Signal input

Power consumption (typical)

Soft switch off 0.1 W

Power save mode 0.2 W

Operating with EPA settings 13.8 W

Operating maximum brightness 16.3 W

Power supply display integrated

Power notes without sound

Electrical values

Rated voltage range 100 V - 240 V

Rated frequency range	50 Hz - 60 Hz
Protection class	1
Compliance	
Europe	Energy Efficiency Class: A+, CE certification according to EC Directive 2004/108/EEC, EN 60950, RoHS, WEEE, IT-Eco-Declaration
Model	W2013
Germany	TÜV GS
Russia	EAC
USA/Canada	FCC Class B, cUL
Saudi Arabia	SASO
Global	ENERGY STAR® 6.0, TCO Displays 6.0, ISO9241-307 (Pixel fault class I), EPEAT® Silver (dedicated regions)
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates
Quality and Reliability	
MTBF (demonstrated)	50.000 h
Dimensions / Weight / Environmental	
Dimension without stand (W x D x H)	469.7 x 59.8 x 277.6 mm
	18.37 x 2.35 x 10.93 inch
Dimension with stand (W x D x H)	469.7 x 202.94 x 360.5 mm
	18.37 inch x 7.99 x 14.19 inch
Weight (packed)	3.75 kg
	8.43 lbs
Weight (unpacked)	2.7 kg
	5.15 lbs
Weight (Monitor only)	2.2 kg
	4.85 lbs
Operating ambient temperature	0 - 40°C / humidity: 20% RH - 80% RH
Miscellaneous	
Miscellaneous	VESA DDC/ CI, Flat Display Mounting Interface VESA MIS-D 100 C, Kensington lock
Color	Matt black
Package content	
Display delivered accessories	D-SUB Data cable 1.8 m Audio cable 1.8 m Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m Quickstart flyer Getting Started Manual Warranty booklet
Display delivered accessories notes	Data cables and audio cable detachable on display
Order information	
Order Code	S26361-K1538-V160
Country specific order code	BDL:K1538V160-UK - with UK power cable, mandatory for Arabian countries
EAN Code	4053026612005
Accessories information	Further helpful options: Available Privacy Filters: http://globalsp.ts.fujitsu.com/dmsp/Publications/public/ds-Privacy-Filter.pdf Available Adapters: http://globalsp.ts.fujitsu.com/dmsp/Publications/public/pos-connectivity.pdf
Warranty	
Warranty period	3 years (depending on country)
Warranty type	Collect & Return Service (depending on country specific requirements)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/fts/services/support

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Display E20T-7 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Display E20T-7 LED, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://www.fujitsu.com/fts/displays>

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2015 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com/fts
2015-09-03 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2015 Fujitsu Technology Solutions GmbH