

HP LaserJet Enterprise 700 color MFP M775 series



Reliable, affordable A3 colour printing that grows with your business.

Enable large-volume professional-quality colour printing on a wide range of paper sizes up to A3, with paper capacity up to 4,350 sheets². Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.



Expand possibilities with broad capabilities and brilliant colour with this affordable A3 MFP.

- Increase colour printing capabilities with media sizes up to A3 for impressive marketing materials and more.
- Impress with bold text and smooth colour, and get the colour output you intended with Pantone® matching.
- Go from start to finish, right at the MFP – print, copy, scan, and fax¹ from the large touchscreen.
- Print from your smartphone or tablet from virtually anywhere with HP ePrint³.

Boost productivity and easily manage printing.

- Boost productivity – get up to 4,350-sheet paper capacity for large printing jobs from this workhorse MFP².
- Automate high-volume print jobs to save time, using the 100-page automatic document feeder.
- Easily manage your business's colour printing with HP colour access controls⁴.
- Save and print files directly at the MFP via an easy-access USB port.

Streamline your workflow with robust scanning.

- Improve workflow using touchscreen controls to preview, edit, and digitally send documents at the device⁵.
- Streamline tasks: print, copy, fax¹ and scan projects directly at the MFP's large colour touchscreen.
- Incorporate paper documents into digital workflows – easily send scans to fax¹, email, or network folders.
- Efficiently capture the right content: remove blank pages in scanned documents to avoid wasted paper.

Invest in robust security that grows with you.

- Extend the capabilities of workteam print environments, using a rich array of easy-to-integrate solutions.
- Boost printing and imaging safeguards and protect business data with fleet-level security solutions.
- Add security solutions such as card and badge readers through the hardware integration pocket⁶.
- Help control expenses with energy-saving features⁷.

Product walkaround

HP LaserJet Enterprise 700 color MFP M775z:

1. 100-sheet automatic document feeder
2. Intuitive 20.3 cm (8-inch) pivoting light touch SVGA colour control panel with FutureSmart firmware and scan preview
3. Hardware integration pocket for solution integration
4. Easy-access USB port to save and print files directly
5. In-line stapler/stacker for stapling up to 30-pages and a 500-sheet output tray
6. Standard 250-sheet stacker output bin
7. Front door allows convenient access to one black and three color, all in one HP print cartridges
8. Built-in automatic two-sided printing
9. 250-sheet input tray 2
10. 3,500-sheet high-capacity feeder with cabinet for a 3,850-sheet total input capacity
11. 100-sheet multipurpose tray 1 handles up to 100 pages
12. Fax port
13. 800 MHz processor, 1.5 GB standard memory
14. HP High Performance Secure Hard Disk
15. Hi-Speed USB 2.0 printing port
16. HP Jetdirect Gigabit Ethernet print server



Series at a glance



Model	HP LaserJet Enterprise 700 color MFP M775dn	HP LaserJet Enterprise 700 color MFP M775z+	HP LaserJet Enterprise 700 color MFP M775f	HP LaserJet Enterprise 700 color MFP M775z
Product number	CC522A	CF304A	CC523A	CC524A
Analog fax	Optional	Yes	Yes	Yes
Automatic two-sided printing	Yes	Yes	Yes	Yes
100-sheet multipurpose tray 1	Yes	Yes	Yes	Yes
250-sheet tray 2	Yes	Yes	Yes	Yes
500-sheet tray 3	Optional	Not available	Yes	Not available
500-sheet tray 4	Optional	Not available	Not available	Not available
500-sheet feeder tray with cabinet	Optional	Not available	Yes	Not available
3x500-sheet feeder tray and stand	Optional	Not available	Not available	Yes
3,500-sheet high-capacity feeder with cabinet	Optional	Yes	Not available	Not available
In-line stapler/stacker	Not available	Yes	Not available	Yes
ENERGY STAR® qualified	Yes	Yes	Yes	Yes
HP Secure High Performance Hard Disk	Yes	Yes	Yes	Yes

Accessories, Supplies and Support

Supplies	CE340A HP 651A Black Original LaserJet Toner Cartridge 13,500 pages
	CE341A HP 651A Cyan Original LaserJet Toner Cartridge 16,000 pages
	CE342A HP 651A Yellow Original LaserJet Toner Cartridge 16,000 pages
	CE343A HP 651A Magenta Original LaserJet Toner Cartridge 16,000 pages
	CE515A HP LaserJet CE515A 220V Maintenance Kit 150,000 pages
	CE516A HP LaserJet CE516A Transfer Kit 150,000 pages
	CE980A HP Color LaserJet CE980A Toner Collection Unit Up to 150,000 pages
Accessories	CE860A HP Color LaserJet 500-sheet Paper Tray
	C8091A HP Staple Cartridge Refill (5000 staples) for Stapler/Stacker accessories
	CE725A HP Color LaserJet 3x500-sheet Paper Feeder and Stand
	CE792A HP LaserJet 1x500-sheet Paper Feeder and Stand
	CF305A HP LaserJet 1x3500-sheet Paper Feeder and Stand
	CC487A HP LaserJet MFP Analog Fax Accessory 500
	L2718A HP 100 ADF Roller Replacement Kit 100,000 pages
Connectivity	J8026A HP Jetdirect 2700w USB Wireless Print Server
Service and support	U6W62E HP 3 year Next Business Day with Defective Media Retention Color LaserJet M775 MFP Hardware Support
	U6W63E HP 4 year Next Business Day with Defective Media Retention Color LaserJet M775 MFP Hardware Support
	U6W64E HP 5 year Next Business Day with Defective Media Retention Color LaserJet M775 MFP Hardware Support
	U6W81PE HP 1 year Post Warranty Next Business Day with Defective Media Retention Color LaserJet M775 MFP Support
	U6W78PE HP 2 year Post Warranty Next Business Day Color LaserJet M775 MFP Hardware Support

Technical specifications

Model	HP LaserJet Enterprise 700 color MFP M775dn	HP LaserJet Enterprise 700 color MFP M775z+	HP LaserJet Enterprise 700 color MFP M775f	HP LaserJet Enterprise 700 color MFP M775z
Product number	CC522A	CF304A	CC523A	CC524A
Print speed	Up to 30 ppm black (A4); Up to 30 ppm colour (A4); Up to 30 ipm black duplex (A4) Up to 15 ppm black (A3); Up to 15 ppm colour (A3)			
First page out time	As fast as 10.5 sec black (A4, ready); As fast as 10.5 sec colour (A4, ready)			
Print resolution	Up to 600 x 600 dpi black; Up to 600 x 600 dpi colour			
Print technology	Laser			
Print Area	Print margins: Top: 4.2 mm; Bottom: 2.6 mm; Left: 2.6 mm; Right: 5 mm; Maximum print area: 302 x 454.2 mm			
Print languages	HP PCL 6, HP PCL 5c (HP PCL 5c driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™			
Mobile printing capability	HP ePrint, Apple AirPrint™, Mopria-certified			
Monthly duty cycle	Up to 120,000 pages (A4), Recommended monthly page volume: 2500 to 7500			
Duplex printing	Automatic (standard)			
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista® 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts			
SureSupply supported	Yes			
Processor speed	800 MHz			
Display	20.5 cm touchscreen Colour Graphic Display (CGD), rotating (adjustable angle); job control buttons; LED Home button; Hardware Integration Pocket; easy access USB 2.0 port	20.5 cm touchscreen Colour Graphic Display (CGD), rotating (adjustable angle); job control buttons; LED Home button; Hardware Integration Pocket; easy access USB 2.0 port	20.5 cm touchscreen Colour Graphic Display (CGD), rotating (adjustable angle); job control buttons; LED Home button; Hardware Integration Pocket; easy access USB 2.0 port	20.5 cm touchscreen Colour Graphic Display (CGD), rotating (adjustable angle); job control buttons; LED Home button; Hardware Integration Pocket; easy access USB 2.0 port
Wireless	Optional, enabled with purchase of a hardware accessory, HP Jetdirect 2700w USB Wireless Print Server J8026A			
Connectivity	Standard: 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; Optional: HP Jetdirect 2700w USB Wireless Print Server J8026A	Standard: 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port; Optional: HP Jetdirect 2700w USB Wireless Print Server J8026A	Standard: 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port; Optional: HP Jetdirect 2700w USB Wireless Print Server J8026A	Standard: 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port; Optional: HP Jetdirect 2700w USB Wireless Print Server J8026A
Network ready	Standard (built-in Gigabit Ethernet)			
Memory	Standard: 1536 MB; Maximum: 1536 MB			
Hard disk	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)
Copier settings	Slides; Collate; Paper Selection; Colour/Black; Reduce/Enlarge; Image Adjustment; Content Orientation; Pages per sheet; Booklet format; Edge to Edge; Optimise Text/Picture; Original Size; Job Build; Maximum number of copies: Up to 9999 copies. Copy resolution: Up to 600 x 600 dpi			
Copy speed	Up to 30 cpm black (A4), Up to 30 cpm colour (A4)			

Model	HP LaserJet Enterprise 700 color MFP M775dn	HP LaserJet Enterprise 700 color MFP M775z+	HP LaserJet Enterprise 700 color MFP M775f	HP LaserJet Enterprise 700 color MFP M775z
Product number	CC522A	CF304A	CC523A	CC524A
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Charge Coupled Device (CCD); Scan input modes: Copy, scan to e-mail, scan to network folder, scan to USB, save to device memory, fax, Open Extensibility Platform (OKP) applications; Duplex ADF scanning: Yes, reversing ADF; Scan size maximum (flatbed, ADF): 297 x 420 mm; Optical scan resolution: Up to 600 dpi Scan technology: Charge Coupled Device (CCD)			
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A
Scan speed	Up to 30 ppm (black & white), up to 30 ppm (colour); duplex: Up to 14 ipm (black & white), up to 14 ipm (colour)	Up to 30 ppm (black & white), up to 30 ppm (colour); duplex: Up to 14 ipm (black & white), up to 14 ipm (colour)	Up to 30 ppm (black & white), up to 30 ppm (colour); duplex: Up to 14 ipm (black & white), up to 14 ipm (colour)	Up to 30 ppm (black & white), up to 30 ppm (colour); duplex: Up to 14 ipm (black & white), up to 14 ipm (colour)
Scannable area	Flatbed: Maximum media size: 297 x 420 mm Scannable area (ADF): Maximum media size: 297 x 420 mm			
Scanner Advanced Features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets			
Bit depth/ Grey scale levels	24-bit/ 256			
Digital sending	Standard: Scan to e-mail; Save to Network Folder; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send to workflow; Send to printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book			
Fax	Optional	Yes, 33.6 kbps	Yes, 33.6 kbps	Yes, 33.6 kbps
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, extra heavy, mid-weight glossy, heavy glossy, extra heavy glossy, cardstock, card glossy), HP matte, HP soft gloss, HP glossy, colour transparency, labels, letterhead, envelope, preprinted, coloured, rough, HP tough paper, opaque film, user-defined			
Paper size	ADF: A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; 13 x 18 cm Custom metric: Tray 1: 76 x 127 to 320 x 470 mm; Tray 2: 148 to 182 to 297 x 432 mm; (maximum print width is 312 mm on media sizes up to 320 mm) Supported metric: Tray 1: A3; A4; A4-R; A5; A6; RA3; SRA3; RA4; SRA4; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; Postcard (JIS); Dpostcard (JIS); envelopes (B5, C5, C6, DL); Tray 2: A3; A4; A4-R; A5; RA4; SRA4; B4 (JIS); B5 (JIS); Dpostcard (JIS)			
Paper handling	Standard input: 100-sheet multipurpose tray, 250-sheet tray, 100-sheet Automatic Document Feeder (ADF) Standard output: 250-sheet output tray Optional/Input: Optional 500-sheet Paper Tray, optional 1x500-sheet Feeder and Stand, optional 3x500-sheet Paper Feeder and Stand, optional 1x3500-sheet Feeder and Stand (A4 only) ADF: Standard, 100 sheets	Standard input: 100-sheet multipurpose tray, 250-sheet tray 2, 1x3500-sheet Feeder and Stand for tray 3 and 4 (A4 only), 100-sheet Automatic Document Feeder (ADF) Standard output: 250-sheet output tray; 500-sheet inline stapler/stacker	Standard input: 100-sheet multipurpose tray, 250-sheet tray 2, 500-sheet Paper Tray 3, 1x500-sheet Feeder and Stand 4, 100-sheet Automatic Document Feeder (ADF) Standard output: 250-sheet output tray	Standard input: 100-sheet multipurpose tray, 250-sheet tray 2, 3x500-sheet Paper Feeder and Stand 3, 4 and 5, 100-sheet Automatic Document Feeder (ADF) Standard output: 250-sheet output tray; 500-sheet inline stapler/stacker
Input capacity	Tray 1: sheets: 100 (75 g/m²); transparencies: 50; labels: 50; envelopes: 10 Tray 2: sheets: 250 (75 g/m²), 150 (90 g/m²); Glossy paper (160g/m²): 125; Glossy paper (220 g/m²): 50 Maximum: Up to 4350 sheets (with optional 500-sheet Paper Tray and optional 1x3500-sheet Feeder and Stand)	Tray 3: sheets (75 g/m²): 1500 (for tray 3); sheets (75 g/m²): 2000 (for tray 4) Maximum: Up to 3850 sheets	Tray 3: sheets (75 g/m²): 500; glossy paper (90 g/m²): 300; glossy paper (160g/m²): 250; glossy paper (220 g/m²): 100 Maximum: Up to 1350 sheets	Tray 3: sheets (75 g/m²): 500; glossy paper (90 g/m²): 300; glossy paper (160g/m²): 250; glossy paper (220 g/m²): 100 Maximum: Up to 1850 sheets
Output capacity	Standard: Up to 250 sheets, Up to 35 envelopes, Up to 175 sheets Transparencies	Up to 750 sheets, Up to 35 envelopes, Up to 175 sheets Transparencies	Up to 250 sheets, Up to 35 envelopes, Up to 175 sheets Transparencies	Up to 750 sheets, Up to 35 envelopes, Up to 175 sheets Transparencies
Paper weight	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); 163 to 220 g/m² (cardstock, card glossy); Tray 2: 60 to 130 g/m² (plain paper), 105 to 200 g/m² (glossy paper), 176 to 220 g/m² (card glossy) ADF: 49 to 120 g/m²	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); 163 to 220 g/m² (cardstock, card glossy); Tray 2: 60 to 130 g/m² (plain paper), 105 to 200 g/m² (glossy paper), 176 to 220 g/m² (card glossy); Trays 3, 4: 60 to 120 g/m² (plain paper)	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); 163 to 220 g/m² (cardstock, card glossy); Tray 2: 60 to 130 g/m² (plain paper), 105 to 200 g/m² (glossy paper), 176 to 220 g/m² (card glossy); Trays 3, 4: 60 to 175 g/m² (plain paper), 105 to 220 g/m² (glossy paper)	Tray 1: 60 to 220 g/m² (plain), 105 to 220 g/m² (glossy); 163 to 220 g/m² (cardstock, card glossy); Tray 2: 60 to 130 g/m² (plain), 105 to 200 g/m² (glossy), 176 to 220 g/m² (card glossy); Trays 3, 4, 5: 60 to 175 g/m² (plain), 105 to 220 g/m² (glossy)
What's in the box	HP LaserJet Enterprise 700 color MFP M775dn; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord; 250-sheet tray	HP LaserJet Enterprise 700 color MFP M775z+; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord, Telecom cord; 250-sheet tray, 1x3500-sheet Feeder and Stand, 500-sheet inline Stapler/Stacker; Built-in fax	HP LaserJet Enterprise 700 color MFP M775f; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord, Telecom cord; 250-sheet tray, 1x500-sheet Paper Tray, 1x500-sheet Feeder and Stand; Built-in fax	HP LaserJet Enterprise 700 color MFP M775z; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord, Telecom cord; 250-sheet tray, 3x500-sheet Paper Feeder and Stand, 500-sheet inline Stapler/Stacker; Built-in fax
Replacement cartridges	HP 651A Black LaserJet Toner Cartridge (~13500 ISO yield) CE340A; HP 651A Cyan LaserJet Toner Cartridge (~16000 ISO yield) CE341A; HP 651A Yellow LaserJet Toner Cartridge (~16,000 ISO yield) CE342A; HP 651A Magenta LaserJet Toner Cartridge (16,000 ISO yield) CE343A			

Model	HP LaserJet Enterprise 700 color MFP M775dn	HP LaserJet Enterprise 700 color MFP M775z ⁺	HP LaserJet Enterprise 700 color MFP M775f	HP LaserJet Enterprise 700 color MFP M775z
Product number	CC522A	CF304A	CC523A	CC524A
Supported network protocols	IPv4/IPv6; Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP; Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLIP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print			
Compatible operating systems	Microsoft® Windows® 8, Windows® 7, Windows Vista®, Windows® XP (SP2+), Windows® Server 2003 (SP1+), Windows® Server 2008 (32 and 64-bit), Windows® Server 2008 R2 (64-bit); Mac OS X v10.6, 10.7; For the latest operating system support see: Citrix and Windows® Terminal Services (hp.com/go/upd); Novell (novell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix, hp.com/go/unixmodelscripts, hp.com/go/jetdirectunix_software); SAP device types (hp.com/go/sap/drivers, hp.com/go/sap/print); HP ePrint Mobile Driver (hp.com/go/eprintmobiledriver)			
Minimum system requirements	Windows: Microsoft® Windows® 8, Windows® 7, Windows Vista®, Windows® XP (SP2+), Windows Server® 2003 (SP1+), Windows Server® 2008, Windows Server® 2008 R2; 200 MB available hard disk space; operating system compatible hardware system requirements, see microsoft.com Mac: Mac OS X v10.6, v10.7; 200 MB available hard disk space; operating system compatible hardware system requirements, see apple.com			
Software included	Windows® Installer, HP PCL 6 discrete driver, Mac Installer, HP Postscript emulation driver			
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in; Compatible with HP Imaging & Printing Security Center			
Printer management	HP Web Jetadmin; HP Utility (Mac)			
Control panel	20.5 cm touchscreen Colour Graphic Display (CGD), rotating (adjustable angle); job control buttons; LED Home button; Hardware Integration Pocket; easy access USB 2.0 port			
Printer dimensions (W x D x H)	Minimum: 592 x 639 x 595 mm Maximum: 959 x 1129 x 941 mm	Minimum: 745 x 668 x 1198 mm Maximum: 1012 x 1158 x 1544 mm	Minimum: 745 x 668 x 1143 mm Maximum: 1012 x 1158 x 1489 mm	Minimum: 745 x 668 x 1198 mm Maximum: 1012 x 1158 x 1544 mm
Package dimensions (W x D x H)	760 x 745 x 832 mm	856 x 760 x 1553 mm	856 x 760 x 1522 mm	856 x 760 x 1553 mm
Printer Weight	63.7 kg	116.3 kg	96.8 kg	107.7 kg
Package weight	76.5 kg	135.6 kg	116 kg	126.7 kg
Operating environment	Temperature: 15 to 27°C, Humidity: 30 to 70% RH			
Storage	Temperature: 0 to 35°C, Humidity: 10 to 90% RH			
Acoustics	Acoustic power emissions: 6.7 B(A); Acoustic pressure emissions: 53 dB(A)			
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz) Consumption: 703 watts (copying), 686 watts (printing), 85 watts (ready), 14.8 watts (sleep), 0.5 watts (manual-Off). Typical Electricity Consumption (TEC): 5.421 kWh/Week. Power supply type: Built-in power supply			
Certifications	CISPR 22: 2008/EN 55022: 2010 Class A, EN 61000-3-2: 2006 +A1:2009 +A2:2009, EN 61000-3-3:2008, EN 55024: 1998+A1 +A2, FCC Title 47 CFR, GB9254-2008, GB17625.1-2003, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries ENERGY STAR® qualified			
Warranty	One-year, next business day, on-site warranty. Warranty and support options vary by product, country and local legal requirements.			

Footnotes

¹ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise 700 color MFP M775dn.; ² Maximum paper capacity of 4,350 sheets is available only on the M775dn with the addition of the optional 3,500-sheet feeder and stand and optional 500-sheet tray.; ³ Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.; ⁴ Colour access control capabilities vary from device to device.; ⁵ Additional digital sending capabilities are available via HP Digital Sending Software which must be purchased separately.; ⁶ Solutions deployed through the hardware integration pocket may require additional purchase.; ⁷ Savings from Instant-on Technology, compared with products that use traditional fusing and from Instant-on Copy, when compared with products that use traditional fusing and cold cathode fluorescent lamp copying.



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 12/14 4AA4-3035EEE

