

A1A-2R(2.8)

2MP IR Bullet Camera



Features

- 1/3" CMOS Sensor
- DC 12V / 0.5A
- Ingress Protection: IP67
- 6 Infrared Lights, the Maximum IR Range Is 20m

Technical Specifications

Model	A1A-2R(2.8)
-------	-------------

Major Specifications

Camera

Image Sensor	1/ 3" CMOS
Maximum Resolution	1920 (H)*1080 (V)
Lens	2.8mm
Effective Pixels	Default 2MP 25fps (P)/30fps(N)
Signal System	PAL/NTSC (Switched by OSD)
Day-Night Mode	IR Cut Filter
S/N Ratio	≥50dB
Minimum Illumination	0.02lux@F2.0
BLC	Auto
AWB	Auto
AES	Auto
OSD Language (5)	English/Chinese/Russian/Japanese/Korean
IR Range	20m
Video Output	AHD/TVI/CVI/CVBS
Video Recording Takes Up Space	1min≈35.2MB (2.8mm Lens)
Operating temperature	-20℃- 60℃
Working Voltage	DC12V

Technical Specifications

HOLOWITS

General Specifications

Power Type	12 VDC 0.5A
Power Consumption	Day $\leq 3W$, Night $\leq 6W$
Operating Temperature	-20 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or Less (Non-Condensing)
Operating Humidity	-20 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or Less (Non-Condensing)
IP Rating	IP67
Weight	293g
Size (With Package)	165mm*75mm*75mm (L*W*H)

Dimensions

